

Goose Neck Microphones For 56/62/63/86 Series Conference Systems.

Goose Neck Capacitor Microphones

Model: For 56 /62/63/86 Series Conference Microphone Systems.



FEATURES

1. Stylish & ergonomic embedded design.
2. Ideal for quality sound reinforcement, professional recordings, audio video conferencing & other demanding sound pickup applications.
3. An included snap-on foam windscreen effectively reduces wind & pop noises.
4. Uni-directional electret condenser microphone.
5. Excellent immunity to RF / Bluetooth/ mobile phones and other wireless signals.
6. Professional high-fidelity 9.9 mm gold-plated capacitor microphone for intelligent audio detection and sensitive audio pickup for clear voice & bandwidth up to 20Hz ~ 20KHz
7. Cardioid directional microphone
8. Excellent balanced audio output

Goose Neck Microphones For 56/62/63/86 Series Conference Systems.

Goose Neck Capacitor Microphones

Model: For 56 /62/63/86 Series Conference Microphone Systems.

SPECIFICATIONS

Series Supported.	56 / 62/ 63/ 86 Series.
Element	9.9mm Gold plated Electret Condenser Microphone
Polar Pattern	Directional Cardiod
Sensitivity	-46 dBV/Pa
Frequency response	20Hz~20KHz
Input impedance	2 k Ω
Directional 0°/180°	> 20 dB (1 kHz)
Dynamic Range	>95 dB
SPL	125 dB (THD<3%) Max SPL
S/N ratio	> 90dB
Cross talk	> 80dB
T.H.D	< 0.05%

Model: For 56 /62/63/86 Series Conference Microphone Systems.